



olympiatile+stone°

# White




6cm x 25cm (2.3" x 10") RD.LB.WHT.2,3X10

# Grey



6cm x 25cm (2.3" x 10") RD.LB.GRY.2,3X10

# **Black**



6cm x 25cm (2.3" x 10") RD.LB.BLK.2,3X10

# Charcoal



6cm x 25cm (2.3" x 9.8") RD.LB.CHA.2,3X10

# Fog



6cm x 25cm (2.3" x 10") RD.LB.FOG.2,3X10

# Beige



6cm x 25cm (2.3" x 9.8") RD.LB.BGE.2,3X10

### **Brown**



6cm x 25cm (2.3" x 10") RD.LB.BWN.2,3X10

# Sunset(Rust)



6cm x 25cm (2.3" x 9.8") RD.LB.SUN.2,3X10

#### **LONDON BRICK SERIES**

### **Tests Performed -- Results Conform**

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Slip Resistance	DIN 51130	> R9	Conforms
Dynamic C.O.F.	ANSI A137.1-2012	≥ 0.42	Conforms
Scratch Hardness	MOHs Scale	-	MOHs 6
Chemical Resistance	EN ISO 10545-13	min. UB	Conforms
Visible Surface Abrasion Resistance	ISO 10545-7	-	PEI 5
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

### **Colour Variation**



### Member







Member of U.S. Green Building Council





of America


For information concerning LEED, please contact our Sales Representative

### **Examples of Recommended Applications**



















## **Packing Details**

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
2.3" x 10"	32	5.16	21.56	100



CHARCOAL



**WHITE** 



# **GREY**



FOG