

CHIMEWOOD Series

SPC / VINYL

olympiatile+stone®

CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

ICE



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.ICE.0748

17 x 121 cm (7" x 48")
SPC with underpad
HV.CW.ICE.0748.PAD

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.ICE.0748.GLUE

SILVER



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.SIL.0748

17 x 121 cm (7" x 48")
SPC with underpad
HV.CW.SIL.0748.PAD

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.SIL.0748.GLUE

LIGHT TAUPE



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.LTP.0748

17 x 121 cm (7" x 48")
SPC with underpad
HV.CW.LTP.0748.PAD

LIGHT GREY



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.LGR.0748

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

BONE



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.BON.0748

17 x 121 cm (7" x 48")
SPC with underpad
HV.CW.BON.0748.PAD

ALMOND



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.ALM.0748

17 x 121 cm (7" x 48")
SPC with underpad
HV.CW.ALM.0748.PAD

BEIGE



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.BGE.0748

17 x 121 cm (7" x 48")
SPC with underpad
HV.CW.BGE.0748.PAD

LIGHT BROWN



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.LBW.0748

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.LBW.0748.GLUE

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

TAN



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.TAN.0748

17 x 121 cm (7" x 48")
SPC with Underpad
HV.CW.TAN.0748.PAD

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.TAN.0748.GLUE

TAUPE



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.TPE.0748

17 x 121 cm (7" x 48")
SPC with Underpad
HV.CW.TPE.0748.PAD

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.TPE.0748.GLUE

BROWN



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.BWN.0748

17 x 121 cm (7" x 48")
SPC with Underpad
HV.CW.BWN.0748.PAD

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.BWN.0748.GLUE

EXPRESSO



17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.EXP.0748

17 x 121 cm (7" x 48")
SPC with Underpad
HV.CW.EXP.0748.PAD

17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.EXP.0748.GLUE

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

ANTHRACITE



The Chimewood Collection is our signature luxury vinyl tile flooring that features authentic design, natural color, and realistic texture that recreates the beauty of real hardwood.



The collection is Floorscore certified for low VOC providing an environmentally friendly option for flooring applications both commercial and residential.

The collection (except Glued Down LVT) features a hinge to ensure a seamless water proof installation.

*****SOLD per BOX only*****


17 x 121 cm (7" x 48")
SPC without underpad
HV.CW.ATR.0748

17 x 121 cm (7" x 48")
SPC with Underpad
HV.CW.ATR.0748.PAD


17 x 121 cm (7" x 48")
LVT Glued Down
HV.CW.ATR.0748.GLUE

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

CHIMEWOOD Series - SPC Structure (with and without Underpad)




SPC Layers	SPC without underpad	SPC with underpad
UV Surface Protection	✓	✓
PVC Embossed Wear Layer	✓	✓
High Definition Photographic Layer	✓	✓
SPC Core Layer	✓	✓
Glue Layer	✗	✓
Sound Absorbing Layer IXPE (Underpad)	✗	✓



Actual photo of SPC backing without IXPE underpad

SPC without the underpad
(HV.CW.XXX.0748)
Total thickness of **4 mm**





Actual photo of SPC backing with IXPE underpad

SPC with IXPE underpad
(HV.CW.XXX.0748.PAD)
Total thickness of **5 mm**

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

CHIMEWOOD Series - LVT Glued Down Structure

Luxury Vinyl Tile Structure






New LVT Glued Down
(HV.CW.XXX.0748.GLUE)
Total thickness of **2.5 mm**

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

CHIMEWOOD Series - SPC/Vinyl

SPC/VINYL TRIMS (BULLNOSE)

COLOURS (Please contact your Sales Representative for samples.)	Vinyl Reducer 106.3" x 1.1" (Thickness: 5 mm)	Vinyl TBAR 106.3" x 0.98" (Thickness: 3 mm)	Vinyl Nosing 106.3" x 0.94" (Thickness: 5.5 mm)
	REDUCER (PHM) 28x5mm PVC 	T-BAR (PSPM) 25x3mm PVC 	STAIR NOSING (PFM) 25x5.5mm PVC 
Almond/Bone	HV.CW.AL/BO.REDUCER	HV.CW.AL/BO.TBAR	HV.CW.AL/BO.NOSING
Anthracite	HV.CW.ANT.REDUCER	HV.CW.ANT.TBAR	HV.CW.ANT.NOSING
Beige	HV.CW.BGE.REDUCER	HV.CW.BGE.RTBAR	HV.CW.BGE.NOSING
Brown	HV.CW.BWN.REDUCER	HV.CW.BWN.RTBAR	HV.CW.BWN.NOSING
Espresso	HV.CW.EXP.REDUCER	HV.CW.EXP.TBAR	HV.CW.EXP.NOSING
Ice	HV.CW.ICE.REDUCER	HV.CW.ICE.TBAR	HV.CW.ICE.NOSING
Light Brown	HV.CW.LBW.REDUCER	HV.CW.LBW.TBAR	HV.CW.LBW.NOSING
Light Grey	HV.CW.LGR.REDUCER	HV.CW.LGR.TBAR	HV.CW.LGR.NOSING
Light Taupe	HV.CW.SIL.REDUCER	HV.CW.SIL.TBAR	HV.CW.SIL.NOSING
Silver	HV.CW.SIL.REDUCER	HV.CW.SIL.TBAR	HV.CW.SIL.NOSING
Tan	HV.CW.TAN.REDUCER	HV.CW.TAN.TBAR	HV.CW.TAN.NOSING
Taupe	HV.CW.TPE.REDUCER	HV.CW.TPE.TBAR	HV.CW.TPE.NOSING

SOLD per piece only


All items shown in this document are part of Olympiastone's stocking program. For special orders, please contact your Olympiastone Tile Sales Representative.

CHIMEWOOD Series - SPC/Vinyl

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

For more information and actual samples, please contact your Olympia Tile Sales Representative.

Colour Variation



Member



Member of Canada Green Building Council



Member of U.S. Green Building Council

TTMAC ACTTM

The Terrazzo, Tile, and Marble Association of Canada



Ceramic Tile Distributors of America (CTDA)



Marble Institute of America

For information concerning LEED, please contact our Sales Representative

Examples of Recommended Applications

Residential



Commercial



Indoor



Wall



Floor



Packing Details

SPC/LVT SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
7" x 48" Matte (sold per BOX) SPC with or without underpad	11	26.19	43.45	55
LVT Glued Down - 7" x 48" Matte (sold per BOX)	16	38.09	35.20	75
TRIMS (Bullnose)	PC/BOX	LB/PC		
Vinyl Reducer 106.3"x1 .1" (Thickness: 5 mm)	80	0.83	(sold per pc)	
Vinyl TBAR 106.3"x0.98" (Thickness: 3 mm)	100	0.54	(sold per pc)	
Vinyl Nosing 106.3"x0.94" (Thickness: 5.5 mm)	150	0.47	(sold per pc)	

SURFACE PREPARATION (If Required)

- Minor floor surface repair, patching: Flextile Flextile-Patch
- Floor Levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment

** For a complete listing of Flextile products and accessories including Sound Control and further setting options, please visit www.flextile.net*

Maintenance Guide for SPC Flooring

(The information below was provided by the manufacturer)

- Regularly sweep the floor to remove loose dirt or grit as these can cause fine scratches.
- For a thorough clean, a range of pH neutral cleaning products are available. Avoid the use of regular household cleaners and bleach-based detergents. These could make the floor slippery or cause discolouration.
- Always mop up spills as soon as possible, to reduce the risk of slipping and possible staining.
- Use entrance mats to protect against grit and moisture. Ensure they are of non-staining variety (not rubber-backed) to prevent any discolouration of the floor.
- Avoid sliding or dragging furniture or other objects across the floor - use floor protector pads to prevent scratching.
- Use large castor cups or other means to protect against indentation from heavy furniture.
- Maintain room temperature between 65-85°F* (18-27°C) for optimum performance.
- Do not subject this product to standing water. This this will present a slip hazard.
- Care must be taken when using underfloor heating to avoid damage to the floor caused by localised 'hot spots/ thermal blocks'. Care must also be taken in placing rugs, and items of furniture which do not allow hot air circulation.

ASTM standards require installation in range 65-85°F; elsewhere the temperature should be 18-27°C.

*** Where the flooring run exceeds 50 ft. (15 m) in width or length, a 5/16" (8 mm) expansion joint should be used and repeated thereafter.*





LIGHT BROWN



TAN



ALMOND



BEIGE



ICE



LIGHT TAUPE



BONE



BROWN



EXPRESSO



ANTHRACITE

CHIMEWOOD SERIES: Board MESPC-01 / Folder FL-601



Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product. Please visit a showroom near you or request a sample from your Olympia Tile Sales Representative.

It is Olympia Tile's policy to stock all items for sale. Should you require additional sizes, finishes or colours, Olympia has a Special Order Department to help find exactly what you are looking for. Please contact your Olympia Tile Sales Representative for more details. Note that minimum order quantities and longer lead times apply to all special order items.

the olympiatile+stone® group

OLYMPIA TILE + STONE INTERNATIONAL INC.

CORPORATE OFFICE AND SHOWROOM TORONTO

1000 Lawrence Ave. West
Ontario M6A 1C6
T: 416 785 9555
Toll Free: 1 800 268 1613
F: 416 785 9682

VAUGHAN

100A Royal Group Crescent
Ontario L4H 1X9
T: 905 266 0420
F: 905 266 0423

VANCOUVER

8220 Fraser Reach Court
Burnaby, BC V3N 0G2
T: 604 294 2244
Toll Free: 1 800 663 9441
F: 604 294 0528

CALGARY

3308 - 11th Street S.E.
Alberta T2G 3G8
T: 403 287 1070
Toll Free: 1 800 322 8182
F: 403 243 1888

EDMONTON

11540 - 163rd Street
Alberta T5M 3T3
T: 780 452 5050
Toll Free: 1 800 619 4438
F: 780 451 4391

WINNIPEG

560 Sheppard Street
Manitoba R2X 2P8
T: 204 633 5736
Toll Free: 1 800 665 8017
F: 204 632 4644

WINDSOR

4145 7th Concession Rd
Ontario N9A 6J3
T: 519 966 2500
Toll Free: 1 877 410 5953
F: 519 969 2407

LONDON

234 Exeter Road
Ontario N6L 1A3
T: 519 652 5011
Toll Free: 1 800 265 4690
F: 519 652 5021

HAMILTON

75 Milburn Road
Ontario L8E 3A3
T: 905 560 5520
Toll Free: 1 800 263 1370
F: 905 578 3593

OTTAWA

2480 Don Reid Drive
Ontario K1H 1E1
T: 613 736 9570
Toll Free: 1 800 267 1864
F: 613 736 9563

MONTREAL

555 rue Locke
Ville St-Laurent,
Quebec H4T 1X7
T: 514 345 8666
Toll Free: 1 800 361 1954
F: 514 345 8825

QUEBEC

2405 rue Watt
Quebec G1P 3X2
T: 418 657 5557
Toll Free: 1 800 463 5516
F: 418 657 6708

HALIFAX

55 Akerley Boulevard
Dartmouth, Nova Scotia
B3B 1M3
T: 902 468 9260
Toll Free: 1 800 565 7790
F: 902 468 0011

SLAB DIVISION

TORONTO

22 Dufflaw Road | Toronto | Ontario | M6A 2W1
T: 416 785 9555 ext 1320 | F: 416 781 4521

VAUGHAN

100A Royal Group Crescent | Vaughan | Ontario | L4H 1X9
T: 905 266 0420 | F: 905 266 0423

OLYMPIA TILE (USA), INC.

CORPORATE OFFICE

701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026
F: 763 542 9830

FLORIDA

ALPHA TILE & STONE
2443 East Meadow Blvd.
Tampa, Florida 33619
T: 813 620 9000
Toll Free: 1 800 785 9000
F: 813 621 0606

10898-A Metro Parkway
Fort Myers, Florida 33966
T: 239 275 8288
Toll Free: 1 800 785 8288
F: 239 275 0116

1808 Whitfield Ave.
Sarasota, Florida 34243
T: 941 727 7433
Toll Free: 1 800 785 3484
F: 941 727 7381

IOWA

KATE-LO TILE & STONE
4521 N.W. Urbandale Dr.
Des Moines (Urbandale)
Iowa 50322
T: 515 270 4920
Toll Free: 1 800 320 1387
F: 515 270 7035

MICHIGAN

BEAVER TILE & STONE
24700 Drake Rd.
Detroit West (Farmington Hills)
Michigan 48335
T: 248 476 2333
Toll Free: 1 800 825 0551
F: 248 476 4636

1700 Stutz Dr., Suite 101
Detroit North (Troy)
Michigan 48084
T: 248 649 5552
F: 248 649 0741

2780 Enterprise Ct.
Saginaw, Michigan 48603
T: 989 790 5851
Toll Free: 1 800 797 0897
F: 989 790 0311
13085 23 Mile Rd.
Detroit East (Shelby Township)
Michigan 48315
T: 586 991 0780
Toll Free: 1 800 899 5395
F: 586 991 0784

1694 Gezon Parkway
Grand Rapids, (Wyoming)
Michigan 49509
T: 616 534 2883
Toll Free: 1 800 797 0727
F: 616 534 4784

MINNESOTA
KATE-LO TILE & STONE
701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026
F: 763 542 9830

NEBRASKA

KATE-LO TILE & STONE
13211 Chandler Road, Suite 400
Omaha (La Vista)
Nebraska 68138-3703
T: 402 641 0989
Toll Free: 1 877 687 6636
F: 402 614 0989

NEW JERSEY

NEW JERSEY TILE & STONE
70 Newfield Avenue
Raritan Center, **Edison**
New Jersey 08837
T: 732 512 1818
Toll Free: 1 800 513 8453
F: 732 512 1881

NEW YORK

DOBKIN TILE & STONE
51 Benbro Drive
Buffalo (Cheektowaga)
New York 14225
T: 716 684 1200
Toll Free: 1 800 759 1414
F: 716 684 1294

OREGON

THOMPSON TILE & STONE
3549 NW Yeon Ave.
Portland
Oregon 97210
T: 971 803 7551
Toll Free: 1 800 827 4092
F: 971 319 6975

WISCONSIN

LEXCO TILE & STONE
1616 S. 108th Street,
Milwaukee
Wisconsin 53214
T: 414 771 2900
Toll Free: 1 800-242-2249
F: 414 771 9153

WASHINGTON

THOMPSON TILE & STONE
3900 East Alki,
Spokane
Washington 99208
T: 509 309 3476
Toll Free: 1 800 827 2555
F: 509 534 5218

711 S. Fidalgo Street,
Seattle
Washington 98108
T: 206 900 7327
Toll Free: 1 800 827 4093
F: 206 294 5933

575 Strander Blvd.,
Tukwila
Washington 98188
T: 206 575 7976
F: 206 575 7484

FLEXITILE LTD. 
MANUFACTURING PLANTS
www.flexitile.net

TORONTO (Head Office)
111 Royal Group Crescent Unit A
Vaughan, ON L4H 1X9
Phone: (416) 255-1111 | 1-800-699-3623
Fax: (416) 255-1729

BURNABY
2969 Lake City Way | Burnaby
British Columbia | V5A 2Z6
T: 604 420-4914 | Toll Free: 1 888 236 4486
F: 604 420-0936

CANADA-US BRANCH LIST DATE REV:12032020

All sales and transactions are subject to our terms and conditions of sale, available on our website.

olympiatile+stone®