SEATTLE SERIES

Tests Performed -- Results Conform


Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Slip Resistance	DIN 51130/51097	R-9	Conforms
Bending / Breaking Strength	ISO 10545-4	> 1300N	Conforms
Deep Abrasion Resistance	ISO 10545-6	≤ 175 mm³	Conforms
Visible Surface Abrasion Res.	ISO 10545-7	PEI 4	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

> For information concerning LEED, please contact our Sales Representative

Colour Variation

Member





Member of Canada Green Building Council



Member of U.S. Green Building Council



The Terrazzo, Tile, and Marble Association of Canada



Ceramic Tile Distributors of America (CTDA)



Marble Institute of America

Examples of Recommended Applications

Residential











Wall





Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
12" x 24" Matte	8	15.50	62.80	32
24" x 24" Matte	4	15.50	62.84	30