
ROWAN SERIES

Tests Performed -- Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic Co-efficient of Friction	ANSI A137.1/2012	> 0.42	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

Colour Variation



Member



Member of Canada Green Building Council



The Terrazzo, Tile, and Member of U.S. Marble Association of Green Building Council Canada



ACTTM

Ceramic Tile Distributors of America (CTDA)



Marble Institute of America

Examples of Recommended Applications

Residential



*Commercial



Indoor



Outdoor

For information concerning LEED, please contact our Sales Representative



Wall



*Floor



*Light commercial floor.

Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
24" x 24" Brushed	4	15.50	59.52	40
24" x 48" Brushed	2	15.50	63.94	32